ACI MATERIALS JOURNAL

INDEX VOLUME 98, 2001

From a Journal of the American Concrete Institute, January through December 2001

progress through knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

INDEX

ACI Materials Journal VOLUME 98, 2001

Remove this section and include it with your January through December 2001 Volume 98 issues of the *ACI Materials Journal*.

A

Absorption
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
Admixture
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001. 289
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.; Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
Aggregate
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
—Measuring three-dimensional damage in concrete under compression (98-M50) Lawler, J. S.; Keane, D. T.; and Shah, S. P., Nov.-Dec. 2001 . . 465
Aiello, M. A.—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Jul.-Aug. 2001 332
Air entrainment
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
Air-permeability test
—Evaluation of new air permeability test device for concrete (98-M6) Guth, D. L., and Zia, P., Jan.-Feb. 2001 44
Aktan, H. M.—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Nov.-Dec. 2001 450
Albertini, C.—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) May-June 2001 220
Alkali
—Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251
Alkali-silica reaction
—Effect of aggregate deformation on alkali-silica reaction (98-M20) Monteiro, P. J. M.; Shomglin, K.; Wenk, H. R.; and Hasparyk, N. P., Mar.-Apr. 2001 179
Allyn, Jr., M.
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) May-June 2001 224
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Jan.-Feb. 2001 52
Al-Omaishi, N.—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Nov.-Dec. 2001 440
Al Omari, M.—Workability of cement pastes (98-M51) Nov.-Dec. 2001 476
Altoubat, S. A.
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Jul.-Aug. 2001 323
—Tensile basic creep: measurements and behavior at early age (98-M42) Sept.-Oct. 2001 386
Analysis
—Sulfate attack of concrete: reliability analysis (98-M12) Corr, D. J.; Monteiro, P. J. M.; Kurtis, K. E.; and Der Kiureghian, A., Mar.-Apr. 2001. 99
Axial loads
—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; and Sreekanth, A. P. V., Mar.-Apr. 2001 105

B

Bang, S. S.—Remediation of concrete using micro-organisms (98-M1) Jan.-Feb. 2001 3
Banthia, N.
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Jan.-Feb. 2001. . . . 10
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Jan.-Feb. 2001 17
Barham, S.—Fracture energy of high-strength concrete (98-M45) Sept.-Oct. 2001 410
Basic creep
—Tensile basic creep: measurements and behavior at early age (98-M42) Altoubat, S. A., and Lange, D. A., Sept.-Oct. 2001 386
Batson, G. B.—Volume electrical resistivity of carbon fiber cement composites (98-M4) Jan.-Feb. 2001 25
Bažant, Z. P.—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Jan.-Feb. 2001 79
Berra, M.—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) May-June 2001 220
Biernacki, J. J.—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Jul.-Aug. 2001 340
Binder
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
Bindiganavile, V.
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Jan.-Feb. 2001 10
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Jan.-Feb. 2001 17
Blanchette, M. C.—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Mar.-Apr. 2001 126
Bleed
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
Böhni, H. K.—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Sept.-Oct. 2001 379
Bond
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 10
Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256

Breen, J. E.—Grouts for bonded post-tensioning in corrosive environments (98-M32) Jul.-Aug. 2001 296
Brown, M. C.—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) May-June 2001 240

C

Cadoni, E.—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) May-June 2001 220
Calcite
—Remediation of concrete using micro-organisms (98-M1) Ramachandran, S. K.; Ramakrishnan, V.; and Bang, S. S., Jan.-Feb. 2001 3
Carbon
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
Carbon fibers
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
Cellular concrete
—Neural network model for preformed-foam cellular concrete (98-M44) Nehdi, M.; Djebbar, Y.; and Khan, A., Sept.-Oct. 2001 402
Cement
—Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
—Sulfate attack of concrete: reliability analysis (98-M12) Corr, D. J.; Monteiro, P. J. M.; Kurtis, K. E.; and Der Kiureghian, A., Mar.-Apr. 2001 99
—Volume electrical resistivity of carbon fiber cement composites (98-M4) Reza, F.; Batson, G. B.; Yamamuro, J. A.; and Lee, J. S., Jan.-Feb. 2001 . . 25
Cementitious
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 10
—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Li, V. C.; Wang, S.; and Wu, C., Nov.-Dec. 2001 483
Cementitious materials
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233
Cement paste
—New methodology for designing self-compacting concrete (98-M46) Saak, A. W.; Jennings, H. M.; and Shah, S. P., Nov.-Dec. 2001 429
—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Wang, K.; Shah, S. P.; and Phuaksuk, P., Nov.-Dec. 2001 458
—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184
—Workability of cement pastes (98-M51) Claisse, P. A.; Lorimer, P.; and Al Omari, M., Nov.-Dec. 2001 476
Cement, portland
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
Chang, C.-S.—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Nov.-Dec. 2001 . . 493
Chen, K.-H.—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Nov.-Dec. 2001 . . 493
Chua, H. T.—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Mar.-Apr. 2001 . . . 184
Claisse, P. A.—Workability of cement pastes (98-M51) Nov.-Dec. 2001 . 476
Clinker
—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
Columns
—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; Sreekanth, A. P. V., Mar.-Apr. 2001 105
Composite
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
Compression test
—Direct tension test of concrete (98-M9) Zheng, W.; Kwan, A. K. H.; and Lee, P. K. K., Jan.-Feb. 2001 63
Compressive strength
—Dynamic property determination for early-age concrete (98-M39) Jin, X., and Li, Z., Sept.-Oct. 2001 365
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233
—Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Mahboub, K. C., and Cutshaw, Q. A., Jan.-Feb. 2001 59
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
—Neural network model for preformed-foam cellular concrete (98-M44) Nehdi, M.; Djebbar, Y.; and Khan, A., Sept.-Oct. 2001 402
—Postpeak strain-stress relationship for concrete in compression (98-M23) Palmquist, S. M., and Jansen, D. C., May-June 2001 213
—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Nehdi, M.; El Chabib, H.; and El Naggar, M. H., Sept.-Oct. 2001 394
—Remediation of concrete using micro-organisms (98-M1) Ramachandran, S. K.; Ramakrishnan, V.; and Bang, S. S., Jan.-Feb. 2001 3
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
Concrete
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 . . 224
—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 . . 159
—Dynamic property determination for early-age concrete (98-M39) Jin, X., and Li, Z., Sept.-Oct. 2001 365
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
—Evaluation of new air permeability test device for concrete (98-M6) Guth, D. L., and Zia, P., Jan.-Feb. 2001 44
—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Zhang, M.-H.; Blanchette, M. C.; and Malhotra, V. M., Mar.-Apr. 2001 126
—Measuring three-dimensional damage in concrete under compression (98-M50) Lawler, J. S.; Keane, D. T.; and Shah, S. P., Nov.-Dec. 2001 465
—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Haj-Ali, R. M.; Kurtis, K. E.; and Sthapit, A. R., Jan.-Feb. 2001 36
—New methodology for designing self-compacting concrete (98-M46) Saak, A. W.; Jennings, H. M.; and Shah, S. P., Nov.-Dec. 2001 429
—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Bažant, Z. P., and Novák, D., Jan.-Feb. 2001 . . . 79
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) Nogueira, C. L., and Willam, K. J., May-June 2001 265
Concrete reinforcement
—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; and Sreekanth, A. P. V., Mar.-Apr. 2001 105
Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
Consolidation
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.;

Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
Controlled low-strength material
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
Corr, D. J.—Sulfate attack of concrete: reliability analysis (98-M12) Mar.-Apr. 2001 99
Corrosion
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., Mar.-Apr. 2001 116
Corrosion inhibitor
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
Coutinho, J. S.—Effect of controlled permeability formwork (CPF) on white concrete (98-M17) Mar.-Apr. 2001 148
Cover
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332
Crack
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Li, V. C.; Wang, S.; and Wu, C., Nov.-Dec. 2001 483
Cracking
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332
—Remediation of concrete using micro-organisms (98-M1) Ramachandran, S. K.; Ramakrishnan, V.; and Bang, S. S., Jan.-Feb. 2001 3
Creep
—Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Huo, X. S.; Al-Omaishi, N.; and Tadros, M. K., Nov.-Dec. 2001 440
—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 159
Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Huo, X. S.; Al-Omaishi, N.; and Tadros, M. K., Nov.-Dec. 2001 440
Curing
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
—Tensile basic creep: measurements and behavior at early age (98-M42) Altoubat, S. A., and Lange, D. A., Sept.-Oct. 2001 386
Cutshaw, Q. A.—Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Jan.-Feb. 2001 59

D

Darwin, D.—Fracture energy of high-strength concrete (98-M45) Sept.-Oct. 2001 410
De Lorenzis, L.—Bond of fiber-reinforced polymer laminates to concrete (98-M29) May-June 2001 256
Density
—Neural network model for preformed-foam cellular concrete (98-M44) Nehdi, M.; Djebbar, Y.; and Khan, A., Sept.-Oct. 2001 402
Der Kiureghian, A.—Sulfate attack of concrete: reliability analysis (98-M12) Mar.-Apr. 2001 99
Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 159
Development length
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256
Direct tension test of concrete (98-M9) Zheng, W.; Kwan, A. K. H.; and Lee, P. K. K., Jan.-Feb. 2001 63
Distilled water
—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184
Djebbar, Y.—Neural network model for preformed-foam cellular concrete (98-M44) Sept.-Oct. 2001 402
Drying shrinkage
—Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251
Ductility
—Measuring three-dimensional damage in concrete under compression (98-M50) Lawler, S. J.; Keane, D. T.; and Shah, S. P., Nov.-Dec. 2001 465
—Postpeak strain-stress relationship for concrete in compression (98-M23) Palmquist, S. M., and Jansen, D. C., May-June 2001 213
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.; Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
Durability
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
—Effect of controlled permeability formwork (CPF) on white concrete (98-M17) Coutinho, J. S., Mar.-Apr. 2001 148
—Evaluation of new air permeability test device for concrete (98-M6) Guth, D. L., and Zia, P., Jan.-Feb. 2001 44
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Haj-Ali, R. M.; Kurtis, K. E.; and Sthapit, A. R., Jan.-Feb. 2001 36
—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Yaman, I. O.; Inci, G.; Yesiller, N.; and Aktan, H. M., Nov.-Dec. 2001 450
Dynamic loading
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
Dynamic modulus of elasticity
—Dynamic property determination for early-age concrete (98-M39) Jin, X., and Li, Z., Sept.-Oct. 2001 365
Dynamic property determination for early-age concrete (98-M39) Jin, X., and Li, Z., Sept.-Oct. 2001 365

E

Early ages (of concrete)
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
Early strength
—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2001 379
Effect of aggregate deformation on alkali-silica reaction (98-M20) Monteiro, P. J. M.; Shomglin, K.; Wenk, H. R.; and Hasparyk, N. P., Mar.-Apr. 2001 179
Effect of controlled permeability formwork (CPF) on white concrete (98-M17) Coutinho, J. S., Mar.-Apr. 2001 148
Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233
Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M.,

Jul.-Aug. 2001 289
Effect of polycarboxylate superplasticizer on contribution of interfacial transition zone to electrical conductivity of portland cement mortars (97-M48)
—Xu, G., and Beaudoin, J. J., V. 97, Jul.-Aug. 2000 418
—Disc. by Walters, D. G., May-June 2001 276
Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Mahboub, K. C., and Cutshaw, Q. A., Jan.-Feb. 2001 59
Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251
Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332
El Chabib, H.—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Sept.-Oct. 2001 394
Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
Electrical properties
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
El Naggar, M. H.—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Sept.-Oct. 2001 394
Emmons, P. H.—Concrete repair material performance—laboratory study (98-M16) Mar.-Apr. 2001 137
Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
Ettringite
—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2001 379
Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
Evaluation of new air permeability test device for concrete (98-M6) Guth, D. L., and Zia, P., Jan.-Feb. 2001 44
—Disc. by Sullivan, P. J. E., Nov.-Dec. 2001 503
Expansion
—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Haj-Ali, R. M.; Kurtis, K. E.; and Sthapit, A. R., Jan.-Feb. 2001 36
External reinforcement
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256

F

Famy, C.—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Jul.-Aug. 2001 350
Fatigue
—Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Singh, S. P., and Kaushik, S. K., Jul.-Aug. 2001 306
Fiber
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
Fiber-reinforced concrete
—Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Singh, S. P., and Kaushik, S. K., Jul.-Aug. 2001 306
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 10
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
—Tensile basic creep: measurements and behavior at early age (98-M42) Altoubat, S. A., and Lange, D. A., Sept.-Oct. 2001 386
—Volume electrical resistivity of carbon fiber cement composites (98-M4) Reza, F.; Batson, G. B.; Yamamuro, J. A.; and Lee, J. S., Jan.-Feb. 2001 25
Fiber-reinforced polymers
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256
Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Singh, S. P., and Kaushik, S. K., Jul.-Aug. 2001 306
Flexural fatigue life distributions and failure probability of steel fibrous concrete (97-M74)
—Singh, S. P., and Kaushik, S. K., V. 97, Nov.-Dec. 2000 658
—Disc. by Hutchinson, T. P., Sept.-Oct. 2001 419
Flexural strength
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
Flow
—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Tang, C.-W.; Yen, T.; Chang, C.-S.; Chen, K.-H., Nov.-Dec. 2001 493
Flowable consistency
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
Fly ash
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001 289
—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Biernacki, J. J.; Williams, P. J.; and Stutzman, P. E., Jul.-Aug. 2001 340
—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Zhang, M.-H.; Blanchette, M. C.; and Malhotra, V. M., Mar.-Apr. 2001 126
—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Wang, K.; Shah, S. P.; and Phuaksuk, P., Nov.-Dec. 2001 458
Focacci, F.—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Jul.-Aug. 2001 332
Formwork
—Effect of controlled permeability formwork (CPF) on white concrete (98-M17) Coutinho, J. S., Mar.-Apr. 2001 148
Fracture
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Bažant, Z. P., and Novák, D., Jan.-Feb. 2001 79
Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
Fracture mechanics
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
Frantz, G. C.
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) May-June 2001 224
—Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Jan.-Feb. 2001 52
Freezing-and-thawing
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224

G

Garboczi, E. J.—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Jul.-Aug. 2001 313
Garci Juenger, M. C.—Effects of high alkalinity on cement pastes (98-M28) May-June 2001 251
Gardner, N. J.—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Mar.-Apr. 2001 159

Gassman, S. L.—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Mar.-Apr. 2001 194
Giangrasso, M.—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) May-June 2001 220
Granulated blast-furnace slag
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001 289
Grout
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
Guth, D. L.—Evaluation of new air permeability test device for concrete (98-M6) Jan.-Feb. 2001 44

H

Haj-Ali, R. M.—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Jan.-Feb. 2001 36
Hasparyk, N. P.—Effect of aggregate deformation on alkali-silica reaction (98-M20) Mar.-Apr. 2001 179
Heat of hydration
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
High-performance concrete
—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Huo, X. S.; Al-Omaishi, N.; and Tadros, M. K., Nov.-Dec. 2001 440
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
—Evaluation of new air permeability test device for concrete (98-M6) Guth, D. L., and Zia, P., Jan.-Feb. 2001 44
—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Tang, C.-W.; Yen, T.; Chang, C.-S.; Chen, K.-H., Nov.-Dec. 2001 493
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.; Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
High-strength concrete
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001 410
Huo, X. S.—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Nov.-Dec. 2001 440
Hydration
—Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251
—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Famy, C., and Taylor, H. F. W., Jul.-Aug. 2001 350
—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2001 379
—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Biernacki, J. J.; Williams, P. J.; and Stutzman, P. E., Jul.-Aug. 2001 340
Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Paglia, C. S. B.; Wombacher, F. J.; and Böhni, H. K., Sept.-Oct. 2001 379

I

Impedance spectroscopy
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Peled, A.; Torrents, J. M.; Mason, T. O.; Shah, S. P.; and Garboczi, E. J., Jul.-Aug. 2001 313
Inci, G.—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Nov.-Dec. 2001 450
Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
Influence of curing conditions on concrete specimens at construction site (97-M16)
—Plante, M.; Cameron, G.; and Tagnit-Hamou, A., V. 97, Mar.-Apr. 2000 120
—Disc. by Cebeci, O. Z., Mar.-Apr. 2001 200
Influences of bending crack and water-cement ratio on chloride-induced corrosion of main reinforcing bars and stirrups (97-M53)
—Otsuki, N.; Miyazato, S.-i.; Diola, N. B.; and Suzuki, H., V. 97, Jul.-Aug. 2000 454
—Disc. by François, R., and Castel, A., May-June 2001 276

J

Jansen, D. C.—Postpeak strain-stress relationship for concrete in compression (98-M23) May-June 2001 213
Jennings, H. M.
—Effects of high alkalinity on cement pastes (98-M28) May-June 2001 251
—New methodology for designing self-compacting concrete (98-M46) Nov.-Dec. 2001 429
Jin, X.—Dynamic property determination for early-age concrete (98-M39) Sept.-Oct. 2001 365

K

Kaushik, S. K.—Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Jul.-Aug. 2001 306
Keane, D. T.—Measuring three-dimensional damage in concrete under compression (98-M50) Nov.-Dec. 2001 465
Kesner, K.—Concrete repair material performance—laboratory study (98-M16) Mar.-Apr. 2001 137
Khan, A.—Neural network model for preformed-foam cellular concrete (98-M44) Sept.-Oct. 2001 402
Khayat, K. H.
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Jan.-Feb. 2001 72
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) May-June 2001 233
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Jul.-Aug. 2001 289
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Sept.-Oct. 2001 371
Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Biernacki, J. J.; Williams, P. J.; and Stutzman, P. E., Jul.-Aug. 2001 340
Kog, Y. C.—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Mar.-Apr. 2001 105
Kozul, R.—Fracture energy of high-strength concrete (98-M45) Sept.-Oct. 2001 410
Kreger, M. E.—Grouts for bonded post-tensioning in corrosive environments (98-M32) Jul.-Aug. 2001 296
Kurtis, K. E.
—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Jan.-Feb. 2001 36
—Sulfate attack of concrete: reliability analysis (98-M12) Mar.-Apr. 2001 99
Kwan, A. K. H.—Direct tension test of concrete (98-M9) Jan.-Feb. 2001 63

L

Labibes, K.—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) May-June 2001 220
Lange, D. A.
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Jul.-Aug. 2001 323
—Tensile basic creep: measurements and behavior at early age (98-M42) Sept.-Oct. 2001 386
Lawler, J. S.—Measuring three-dimensional damage in concrete under compression (98-M50) Nov.-Dec. 2001 465
Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Zhang, M.-H.; Blanchette, M. C.; and Malhotra, V. M., Mar.-Apr. 2001 126
Leaching
—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Zhang, M.-H.; Blanchette, M. C.; and Malhotra, V. M., Mar.-Apr. 2001 126
—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184

Lee, J. S.—Volume electrical resistivity of carbon fiber cement composites (98-M4) Jan.-Feb. 2001 25
Lee, P. K. K.—Direct tension test of concrete (98-M9) Jan.-Feb. 2001 . . . 63
Li, V. C.—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Nov.-Dec. 2001 483
Li, Z.—Dynamic property determination for early-age concrete (98-M39) Sept.-Oct. 2001 365
Lockman, M. J.—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Mar.-Apr. 2001 159
Lorimer, P.—Workability of cement pastes (98-M51) Nov.-Dec. 2001 . . . 476
Luan, S.—Fracture energy of high-strength concrete (98-M45) Sept.-Oct. 2001 410

M

Mahboub, K. C.—Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Jan.-Feb. 2001 59
Malhotra, V. M.—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Mar.-Apr. 2001 126
Mason, T. O.—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Jul.-Aug. 2001 313
Masonry
—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; and Sreekanth, A. P. V., Mar.-Apr. 2001 105
McDonald, J. E.—Concrete repair material performance—laboratory study (98-M16) Mar.-Apr. 2001 137
Measurement techniques for rapid assessment of carbonation in concrete (97-M22)
—Krajči, L, and Janotka, I., V. 97, Mar.-Apr. 2000 168
—Disc. by Moreno, E. I., Jan.-Feb. 2001 88
Measuring three-dimensional damage in concrete under compression (98-M50) Lawler, J. S.; Keane, D. T.; and Shah, S. P.; Nov.-Dec. 2001 . . . 465
Microstructure
—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Reda Taha, M. M., and Shrive, N. G., Mar.-Apr. 2001 168
Miller, B.—Bond of fiber-reinforced polymer laminates to concrete (98-M29) May-June 2001 256
Mineral admixtures
—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184
Mixing time
—Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Mahboub, K. C., and Cutshaw, Q. A., Jan.-Feb. 2001 59
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
Models
—Neural network model for preformed-foam cellular concrete (98-M44) Nehdi, M.; Djebbar, Y.; and Khan, A., Sept.-Oct. 2001 402
—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Nehdi, M.; El Chabib, H.; and El Naggar, M. H., Sept.-Oct. 2001 394
Modulus of elasticity
—Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Huo, X. S.; Al-Omaishi, N.; and Tadros, M. K., Nov.-Dec. 2001 440
—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 159
Modulus of rupture
—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Bažant, Z. P., and Novák, D., Jan.-Feb. 2001 79
Monteiro, P. J. M.
—Effect of aggregate deformation on alkali-silica reaction (98-M20) Mar.-Apr. 2001 179
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Mar.-Apr. 2001 . . 116
—Sulfate attack of concrete: reliability analysis (98-M12) Mar.-Apr. 2001 99
Morrison, H. F.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Mar.-Apr. 2001 116
Mortar
—Effect of aggregate deformation on alkali-silica reaction (98-M20) Monteiro, P. J. M.; Shomglin, K.; Wenk, H. R.; and Hasparyk, N. P., Mar.-Apr. 2001 179

N

Nanni, A.
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) May-June 2001 256
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Jul.-Aug. 2001 332
Nehdi, M.
—Neural network model for preformed-foam cellular concrete (98-M44) Sept.-Oct. 2001 402
—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Sept.-Oct. 2001 394
Neural network model for preformed-foam cellular concrete (98-M44) Nehdi, M.; Djebbar, Y.; and Khan, A., Sept.-Oct. 2001 402
Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Haj-Ali, R. M.; Kurtis, K. E.; and Sthapit, A. R., Jan.-Feb. 2001 36
New methodology for designing self-compacting concrete (98-M46) Saak, A. W.; Jennings, H. M.; and Shah, S. P., Nov.-Dec. 2001 429
Nogueira, C. L.—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) May-June 2001 265
Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., Mar.-Apr. 2001 . . 116
Novák, D.—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Jan.-Feb. 2001 79

O

Ong, K. C. G.—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Mar.-Apr. 2001 105
Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Tang, C.-W.; Yen, T.; Chang, C.-S.; Chen, K.-H., Nov.-Dec. 2001 493

P

Paglia, C. S. B.—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Sept.-Oct. 2001 379
Palmquist, S. M.—Postpeak strain-stress relationship for concrete in compression (98-M23) May-June 2001 213
Paultre, P.—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Sept.-Oct. 2001 371
Peled, A.—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Jul.-Aug. 2001 313
Performance of reinforcing steel in concrete containing silica fume and blast-furnace slag ponded with sodium chloride solution (97-M31)
—Gu, P.; Beaudoin, J. J.; Zhang, M.-H.; and Malhotra, V. M., V. 97, May-June 2000 254
—Disc. by Balma, J.; Ge, B.; Darwin, D., Mar.-Apr. 2001 202
Permeability
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
Phuaksuk, P.—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Nov.-Dec. 2001 458
Pierce, C. E.—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Mar.-Apr. 2001 . . . 194
Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Wang, K. W.; Shah, S. P.; and Phuaksuk, P., Nov.-Dec. 2001 458
Polymer
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332

—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 10
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
Polymer and steel fiber-reinforced cementitious composites under impact loading—part 1: bond-slip response (98-M2) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 10
Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
Poston, R. W.—Concrete repair material performance—laboratory study (98-M16) Mar.-Apr. 2001 137
Postpeak strain-stress relationship for concrete in compression (98-M23) Palmquist, S. M., and Jansen, D. C., May-June 2001 213
Post-tensioning
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
Pozzolans
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001 296
—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Biernacki, J. J.; Williams, P. J.; and Stutzman, P. E., Jul.-Aug. 2001 340
Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Nehdi, M.; El Chabib, H.; and El Naggar, M. H., Sept.-Oct. 2001 394
Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Bažant, Z. P., and Novák, D., Jan.-Feb. 2001 79
Pulse velocity
—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Yaman, I. O.; Inci, G.; Yesiller, N.; and Aktan, H. M., Nov.-Dec. 2001 450
—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) Nogueira, C. L., and Willam, K. J., May-June 2001 265

R

Ramachandran, S. K.—Remediation of concrete using micro-organisms (98-M1) Jan.-Feb. 2001 3
Ramakrishnan, V.—Remediation of concrete using micro-organisms (98-M1) Jan.-Feb. 2001 3
Reactive aggregate
—Effect of aggregate deformation on alkali-silica reaction (98-M20) Monteiro, P. J. M.; Shomglin, K.; Wenk, H. R.; and Hasparyk, N. P., Mar.-Apr. 2001 179
Reda Taha, M. M.—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Mar.-Apr. 2001 168
Reinforced concrete
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., Mar.-Apr. 2001 116
Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; and Sreekanth, A. P. V., Mar.-Apr. 2001 105
Reinforcement
—Corrosion tests with concrete containing salts of alkenyl-substituted succinic acid (98-M25) Allyn, Jr., M., and Frantz, G. C., May-June 2001 224
Reinforcement bar
—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Zhang, J.; Monteiro, P. J. M.; and Morrison, H. F., Mar.-Apr. 2001 116
Remediation of concrete using micro-organisms (98-M1) Ramachandran, S. K.; Ramakrishnan, V.; and Bang, S. S., Jan.-Feb. 2001 3
Repair
—Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184
Retemper
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
Reza, F.—Volume electrical resistivity of carbon fiber cement composites (98-M4) Jan.-Feb. 2001 25
Rheology
—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Tang, C.-W.; Yen, T.; Chang, C.-S.; Chen, K.-H., Nov.-Dec. 2001 493
—Workability of cement pastes (98-M51) Claisse, P. A.; Lorimer, P.; and Al Omari, M., Nov.-Dec. 2001 476

S

Saak, A. W.—New methodology for designing self-compacting concrete (98-M46) Nov.-Dec. 2001 429
Schokker, A. J.—Grouts for bonded post-tensioning in corrosive environments (98-M32) Jul.-Aug. 2001 296
Schroeder, A. J.—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Mar.-Apr. 2001 194
Self-compacting concrete
—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Nehdi, M.; El Chabib, H.; and El Naggar, M. H., Sept.-Oct. 2001 394
Shah, S. P.
—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Jul.-Aug. 2001 313
—Measuring three-dimensional damage in concrete under compression (98-M50) Nov.-Dec. 2001 465
—New methodology for designing self-compacting concrete (98-M46) Nov.-Dec. 2001 429
—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Nov.-Dec. 2001 458
Shomglin, K.—Effect of aggregate deformation on alkali-silica reaction (98-M20) Mar.-Apr. 2001 179
Shrinkage
—Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Huo, X. S.; Al-Omaishi, N.; and Tadros, M. K., Nov.-Dec. 2001 440
—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 . . . 159
—Tensile basic creep: measurements and behavior at early age (98-M42) Altoubat, S. A., and Lange, D. A., Sept.-Oct. 2001 386
Shrinkage cracking
—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Wang, K.; Shah, S. P.; and Phuaksuk, P., Nov.-Dec. 2001 458
Shrive, N. G.—Enhancing fracture toughness of high-performance carbon fiber cement composites (98-M19) Mar.-Apr. 2001 168
Silica fume
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001 289
Singh, S. P.—Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Jul.-Aug. 2001 306
Slip
—Bond of fiber-reinforced polymer laminates to concrete (98-M29) De Lorenzis, L.; Miller, B.; and Nanni, A., May-June 2001 256
Slump
—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) Brown, M. C.; Weyers, R. E.; and Sprinkel, M. M., May-June 2001 240
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001 289
—New methodology for designing self-compacting concrete (98-M46) Saak, A. W.; Jennings, H. M.; and Shah, S. P., Nov.-Dec. 2001 429
Slump flow
—Predicting performance of self-compacting concrete mixtures using artificial neural networks (98-M43) Nehdi, M.; El Chabib, H.; and El Naggar, M. H., Sept.-Oct. 2001 394
Sonebi, M.
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Jan.-Feb. 2001 72
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) May-June 2001 233

—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Jul.-Aug. 2001 289
Spalling
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332
Splitting tensile strength
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233
Sprinkel, M. M.—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) May-June 2001 240
Sreekanth, A. P. V.—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Mar.-Apr. 2001 105
Steel
—Creep, shrinkage, and cracking of restrained concrete at early age (98-M35) Altoubat, S. A., and Lange, D. A., Jul.-Aug. 2001 323
Sthapit, A. R.—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Jan.-Feb. 2001 36
Stiffness
—Remediation of concrete using micro-organisms (98-M1) Ramachandran, S. K.; Ramakrishnan, V.; and Bang, S. S., Jan.-Feb. 2001 3
Stirrups
—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Kog, Y. C.; Ong, K. C. G.; Yu, C. H.; and Sreekanth, A. P. V., Mar.-Apr. 2001 105
Strain
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
—Postpeak strain-stress relationship for concrete in compression (98-M23) Palmquist, S. M., and Jansen, D. C., May-June 2001 213
—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Li, V. C.; Wang, S.; and Wu, C., Nov.-Dec. 2001 483
Strength
—Concrete repair material performance—laboratory study (98-M16) Poston, R. W.; Kesner, K.; McDonald, J. E.; Vaysburd, A. M.; and Emmons, P. H., Mar.-Apr. 2001 137
—Design provisions for drying shrinkage and creep of normal-strength concrete (98-M18) Gardner, N. J., and Lockman, M. J., Mar.-Apr. 2001 . . 159
—Effect of free-fall height in water on performance of highly flowable concrete (98-M10) Sonebi, M., and Khayat, K. H., Jan.-Feb. 2001 72
Strength and durability of concrete containing salts of alkenyl-succinic acid (98-M7) Allyn, Jr., M., and Frantz, G. C., Jan.-Feb. 2001 52
Stress
—Flexural fatigue analysis of steel fiber-reinforced concrete (98-M33) Singh, S. P., and Kaushik, S. K., Jul.-Aug. 2001 306
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 220
—Proposal for standard test of modulus of rupture of concrete with its size dependence (98-M11) Bažant, Z. P., and Novák, D., Jan.-Feb. 2001 79
Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.; Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
Stutzman, P. E.—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Jul.-Aug. 2001 340
Sulfate
—Sulfate attack of concrete: reliability analysis (98-M12) Corr, D. J.; Monteiro, P. J. M.; Kurtis, K. E.; and Der Kiureghian, A., Mar.-Apr. 2001 99
Sulfate attack
—Neural network modeling of concrete expansion during long-term sulfate exposure (98-M5) Haj-Ali, R. M.; Kurtis, K. E.; and Sthapit, A. R., Jan.-Feb. 2001 36
Sulfate attack of concrete: reliability analysis (98-M12) Corr, D. J.; Monteiro, P. J. M.; Kurtis, K. E.; and Der Kiureghian, A., Mar.-Apr. 2001 99
Surface area
—Effects of high alkalinity on cement pastes (98-M28) Garci Juenger, M. C., and Jennings, H. M., May-June 2001 251

T

Tadros, M. K.—Creep, shrinkage, and modulus of elasticity of high-performance concrete (98-M47) Nov.-Dec. 2001 440
Tang, C.-W.—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Nov.-Dec. 2001 493
Taylor, H. F. W.—Ettringite in hydration of portland cement concrete and its occurrence in mature concretes (98-M38) Jul.-Aug. 2001 350
Temperature
—Effects of fresh concrete temperature and mixing time on compressive strength of concrete (98-M8) Mahboub, K. C., and Cutshaw, Q. A., Jan.-Feb. 2001 59
—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Wee, T. H.; Zhu, J.; Chua, H. T.; and Wong, S. F., Mar.-Apr. 2001 184
Tensile
—Influence of aggregate size on strain-rate tensile behavior of concrete (98-M24) Cadoni, E.; Labibes, K.; Berra, M.; Giangrasso, M.; and Albertini, C., May-June 2001 221
Tensile basic creep: measurements and behavior at early age (98-M42) Altoubat, S. A., and Lange, D. A., Sept.-Oct. 2001 386
Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Li, V. C.; Wang, S.; and Wu, C., Nov.-Dec. 2001 483
Tensile strength
—Direct tension test of concrete (98-M9) Zheng, W.; Kwan, A. K. H.; and Lee, P. K. K., Jan.-Feb. 2001 63
Test
—Direct tension test of concrete (98-M9) Zheng, W.; Kwan, A. K. H.; and Lee, P. K. K., Jan.-Feb. 2001 63
—Effect of controlled permeability formwork (CPF) on white concrete (98-M17) Coutinho, J. S., Mar.-Apr. 2001 148
—Polymer and steel fiber-reinforced cementitious composites under impact loading—part 2: flexural toughness (98-M3) Bindiganavile, V., and Banthia, N., Jan.-Feb. 2001 17
—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Yaman, I. O.; Inci, G.; Yesiller, N.; and Aktan, H. M., Nov.-Dec. 2001 450
—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) Nogueira, C. L., and Willam, K. J., May-June 2001 265
—Volume electrical resistivity of carbon fiber cement composites (98-M4) Reza, F.; Batson, G. B.; Yamamuro, J. A.; and Lee, J. S., Jan.-Feb. 2001 . . . 25
Texture
—Effect of aggregate deformation on alkali-silica reaction (98-M20) Monteiro, P. J. M.; Shomglin, K.; Wenk, H. R.; and Hasparyk, N. P., Mar.-Apr. 2001 179
Thermal expansion
—Effects of thermal loads on concrete cover of fiber-reinforced polymer reinforced elements: theoretical and experimental analysis (98-M36) Aiello, M. A.; Focacci, F.; and Nanni, A., Jul.-Aug. 2001 332
Time frequency analysis of impact-echo signals: numerical modeling and experimental validation (97-M73)
—Abraham, O.; Léonard, C.; Côte, P.; and Piwakowski, B., V. 97, Nov.-Dec. 2000 645
—Disc. by Wouters, J. P., Sept.-Oct. 2001 418
Torrents, J. M.—Electrical impedance spectra to monitor damage during tensile loading of cement composites (98-M34) Jul.-Aug. 2001 313
Tremblay, S.—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Sept.-Oct. 2001 371

U

Ultrasonic
—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Yaman, I. O.; Inci, G.; Yesiller, N.; and Aktan, H. M., Nov.-Dec. 2001 450
—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) Nogueira, C. L., and Willam, K. J., May-June 2001 265
Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Yaman, I. O.; Inci, G.; Yesiller, N.; and Aktan, H. M., Nov.-Dec. 2001 450
Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) Nogueira, C. L., and Willam, K. J., May-June 2001 265
Underwater concrete
—Effect of mixture composition on relative strength of highly flowable underwater concrete (98-M26) Sonebi, M., and Khayat, K. H., May-June 2001 233

V

Vaysburd, A. M.—Concrete repair material performance—laboratory study (98-M16) Mar.-Apr. 2001 137
Vibration
—Dynamic property determination for early-age concrete (98-M39) Jin, X., and Li, Z., Sept.-Oct. 2001 365
Volume electrical resistivity of carbon fiber cement composites (98-M4) Reza, F.; Batson, G. B.; Yamamuro, J. A.; and Lee, J. S., Jan.-Feb. 2001 . . 25

W

Wang, K.—Plastic shrinkage cracking in concrete materials—influence of fly ash and fibers (98-M49) Nov.-Dec. 2001 458
Wang, S.—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Nov.-Dec. 2001 483
Water-cementitious materials ratio
—Effects of prolonged mixing and retempering on properties of controlled low-strength material (CLSM) (98-M22) Gassman, S. L.; Pierce, C. E.; and Schroeder, A. J., Mar.-Apr. 2001 194
—Fracture energy of high-strength concrete (98-M45) Darwin, D.; Barham, S.; Kozul, R.; and Luan, S., Sept.-Oct. 2001. 410
Water-cement ratio
—Sulfate attack of concrete: reliability analysis (98-M12) Corr, D. J.; Monteiro, P. J. M.; Kurtis, K. E.; and Der Kiureghian, A., Mar.-Apr. 2001 99
Water-reducing admixture (high-range)
—Effect of mixture composition on washout resistance of highly flowable underwater concrete (98-M31) Khayat, K. H., and Sonebi, M., Jul.-Aug. 2001 289
Wee, T. H.—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Mar.-Apr. 2001 . . . 184
Wenk, H. R.—Effect of aggregate deformation on alkali-silica reaction (98-M20) Mar.-Apr. 2001 179
Weyers, R. E.—Effect of corrosion-inhibiting admixtures on material properties of concrete (98-M27) May-June 2001 240
Willam, K. J.—Ultrasonic testing of damage in concrete under uniaxial compression (98-M30) May-June 2001 265
Williams, P. J.—Kinetics of reaction of calcium hydroxide and fly ash (98-M37) Jul.-Aug. 2001 340
Wombacher, F. J.—Hydration, strength, and microstructural development of high early-strength C_4A_3S activated burnt oil shale-based cement system (98-M41) Sept.-Oct. 2001 379
Wong, S. F.—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Mar.-Apr. 2001 . . . 184
Workability
—Grouts for bonded post-tensioning in corrosive environments (98-M32) Schokker, A. J.; Breen, J. E.; and Kreger, M. E., Jul.-Aug. 2001. 296
—Structural performance and in-place properties of self-consolidating concrete used for casting highly reinforced columns (98-M40) Khayat, K. H.; Paultre, P.; and Tremblay, S., Sept.-Oct. 2001 371
—Workability of cement pastes (98-M51) Claisse, P. A.; Lorimer, P.; and Al Omari, M., Nov.-Dec. 2001 476
Workability of cement pastes (98-M51) Claisse, P. A.; Lorimer, P.; and Al Omari, M., Nov.-Dec. 2001 476
Wu, C.—Tensile strain-hardening behavior of polyvinyl alcohol engineered cementitious composite (PVA-ECC) (98-M52) Nov.-Dec. 2001 483

Y

Yamamuro, J. A.—Volume electrical resistivity of carbon fiber cement composites (98-M4) Jan.-Feb. 2001 25
Yaman, I. O.—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Nov.-Dec. 2001 450
Yen, T.—Optimizing mixture proportions for flowable high-performance concrete via rheology tests (98-M53) Nov.-Dec. 2001 493
Yesiller, N.—Ultrasonic pulse velocity in concrete using direct and indirect transmission (98-M48) Nov.-Dec. 2001 450
Yu, C. H.—Reinforced concrete jacketing for masonry columns with axial loads (98-M13) Mar.-Apr. 2001. 105

Z

Zhang, J.—Noninvasive surface measurement of corrosion impedance of reinforcing bar in concrete—part 1: experimental results (98-M14) Mar.-Apr. 2001 116
Zhang, M.-H.—Leachability of trace metal elements from fly ash concrete: results from column-leaching and batch-leaching tests (98-M15) Mar.-Apr. 2001 126
Zheng, W.—Direct tension test of concrete (98-M9) Jan.-Feb. 2001 . . . 63
Zhu, J.—Resistance of blended cement pastes to leaching in distilled water at ambient and higher temperatures (98-M21) Mar.-Apr. 2001 184
Zia, P.—Evaluation of new air permeability test device for concrete (98-M6) Jan.-Feb. 2001 44